



Jefferson Lab Alignment Group

Data Transmittal

TO: B. Sawatzky, D. Gaskell, S. Lassiter M. Fowler

DATE: 08/03/2017

FROM: Kelly Tremblay

Checked: SEH

: C1806r

DETAILS:

data: aalign\shms\s20170803

Below are the results from the survey of SHMS spectrometer August 3rd, 2017. The SHMS fiducial points were observed from the beam right side only.

The horizontal pointing value shows how much the central axis of the spectrometer misses the ideal target. This value is perpendicular to the spectrometer axis, not along the beam line. For the vertical pointing, a positive value indicates that the spectrometer is pointing above the target.

===== RESULTS ===== S20170803

The central ray of the spectrometer is at -18.018 degrees
FOR SHMS REPORTING angle is : 15.0179 degrees
The central ray is missing the defined target center by 0.38 [mm] Upstream
and 1.16 mm vertically [positive value is up]

Bender RotZ (roll) = 0.00383 degrees
Bender RotX (pitch) = 0.03154 degrees
Bender RotY (yaw) = 125.89296 degrees
Bender Rotation wrt Hall C Zero Azimuth = 16.59136 degrees
Bender Calc A posteriori value= 0.050 millimeters

9 Par A posteriori value : 0.64 (mm)

Sketch for the data is shown on the next page.

S20170803

- Beam-Spec Intercept Point
- Beam-Spec Perpendicular Point
- Spectrometer Projected Target Point
- ✕ Straight-Ahead Target Point [ideal]

angles: delta : 18.01789 [degrees]
beam : -142.48325 [degrees]
spectrometer: 235.53464 [degrees]

perpendicular distance : 0.379 [mm]
target - intersect dis : 1.226 [mm]
found target - intersect dis : 1.718 [mm]
Spectrometer is 1.16 higher than ideal target [mm]

- Spectrometer Line
- Straight-Ahead Beam
- Perpendicular line

SHMS CASE :

Bender Reporting Angle : 15.01789 [degrees]
Bender Rotation wrt Hall C Zero Az = 16.59136 [deg]

